

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 1/8/2020 11:34:19 AM
To: [Redacted] Nonresponsive based on revised scope
Subject: Re: [EXT]RE: [Redacted] Nonresponsive based on revised scope Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S

Thank you

On Jan 8, 2020, at 5:44 AM, [Redacted] Nonresponsive based on revised scope wrote:

Morning.
CWM 275 tons. Please see message below.

[Redacted] Nonresponsive based on revised scope

From: [Redacted] Nonresponsive based on revised scope
Sent: Tuesday, December 10, 2019 10:46 AM
To: [Redacted] Nonresponsive based on revised scope
Cc: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: [EXT]RE: CWM Emelle Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S

*****CAUTION***** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

Hello [Redacted] Nonresponsive based on revised scope / Christine

If [Redacted] Nonresponsive based on revised scope treat's the metals (lead) < LDR's, the result would be a TSCA only regulated waste (PCB's > 50 ppm). CWM Emelle has a TSCA Permit, therefore that would be acceptable for disposal. If that TSCA waste also contained dioxin's, that are not "listed" RCRA waste, it would still be acceptable, again as long as the material did not have a RCRA waste code. UHC's are only regulated, if associated with a RCRA waste, they don't apply for a TSCA waste.

Because the specific source of this contamination can't be documented, listed waste codes would not be correct. However because of this please run a Full TCLP for disposal analysis, to rule out the RCRA concerns. [Redacted] Ex. 4 CBI

Ex. 4 CBI

Ex. 4 CBI

Please let me know if you have any questions.

Regards

Nonresponsive based on revised scope

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope

Sent: Friday, December 6, 2019 5:55 AM

To: Wagner, Christine <Wagner.Christine@epa.gov>

Subject: CWM Emelle Bid Response for Pile #1 BEFORE DISCOVERY OF UHC'S

Chris,

Ex. 4 CBI

The CWM contact who submitted the offer and who I have been discussing our situation with is Nonresponsive based on revised scope. Feel free to give [redacted] call also.

Have a good day and I'll talk to you later.

<image002.jpg>

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.

Recycling is a good thing. Please recycle any printed emails.